

Work Order ID 137236***137236***

Page 1

Thursday, September 24, 2015 1:43:53 PM

Item ID: D3589-15 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Link
Start Date: 9/23/15 Start Qty: 8.00 ***g*** Cust Item ID:
Required Date: 9/23/15 Req'd Qty: 8.00 ***g*** Customer:
Reference:

Approvals: Process Plan: ML5 Date: SEP 23 2015 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3589	C

100

0.00

100

Waterjet

FLOW CNC Waterjet

Memo

Cut as per dwg D3589

Prog Rev: CDwg Rev: C

Deburr as required

0.00

(12)

09/15/11/12

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Quality Control

Memo

0.00

(12)

09/15/11/12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Thursday, September 24, 2015 1:43:53 PM

Page 1

Work Order ID: 137236

137236

Parent Item: D3589-15

D3589-15

Parent Item Name: Link

Start Date: 9/23/15

Required Date: 9/23/15

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev:A 08-05-30 new issue DD verified by:ec IPP Rev:B 09-02-20 rev.b asper dwg DD verified by:EC IPP REV:C 12.07.23 AS
PER REV.C DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA		Purchased		No		100	sf	228.0500	0.025	0.210526			

M304S16GA

304/316 Sheet .063

09/15/11/12

Location

Loc Qty

Loc Code

MAT019

228.05

m131384

4.4

m132797

64

m132835

159.65

4

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							



ITEM	QTY.	P/N	DESCRIPTION
	X	D3589-041	LATCH ASSEMBLY
1	1	D3589-043	FORWARD PLATE WELDMENT
2	1	D3589-045	AFT PLATE WELDMENT
3	1	D3589-1	ARM
4	2	D3589-3	ARM GUIDE
5	2	D3589-13	LUG
6	2	D3589-15	LINK
7	4	AN960JD4	WASHER
8	2	MS20392-1C7	PIN
9	2	MS24665-1010	COTTER PIN



DETAIL A: LINK ASSEMBLY DETAIL D8-1
SCALE 2X
2 PL



DETAIL B: WELDING AND LINK ASSEMBLY DETAIL C3-1
SCALE 2X
2 PL

D3589-041 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-041" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT PAINT MARKER)
- 7) WEIGHT: 0.75 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) IDENTIFIED PARTS ARE LOOSE ON D3589-1 ARM
- 10) INSTALL COTTER PIN IN ACCORDANCE WITH MS33540

RELEASED
2012-07-16

20150925 SH 137236

C	REVISED D3588-5: 2.75 WAS 3.00 (ZN B6-4); ADDED D3588-21 (ZN B3-4); AFFECTS D3588-047 (ZN A7-3) AND D3588-049 (ZN A3-3); REVISED D3588-15: Ø0.140 WAS Ø0.129 (ZN B4-7); 0.900 WAS 1.150 (ZN C4-7); ADDED D3588-23 (ZN C3-4); AFFECTS D3589-043-045 (ZN D7-2 AND D2-2); REASON: PART 12-177.	MB	12.07.04
B	0.90 AND 0.93 REF WERE 1.97 AND 0.60 (ZN C6-2); 0.50 WAS 1.89 (ZN C3-2); 0.75 REF REPLACES 2.01 (ZN C2-2); 29" WAS 15" (ZN B2-2); 19.00 WAS 18.88 (ZN D4-4); REDESIGNED D3589-9 (ZN A8-6) AND D3589-11F (ZN C2-3); REASON: REDESIGN FOR PROPER FIT AND TO MATCH TESTED CONFIGURATION	MB	08.08.25
A	NEW ISSUE	MB	08.05.29
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.07.04		


DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3589
REV. C
SHEET 1 OF 8


TITLE LATCH ASSEMBLY
SCALE NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR OFFERED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

ITEM	QTY -043	QTY -045	P/N	DESCRIPTION
	X		D3589-043	FORWARD PLATE WELDMENT
		X	D3589-045	AFT PLATE WELDMENT
1		1	D3589-7	AFT GUIDE PLATE
2	1		D3589-9	FORWARD GUIDE PLATE
3	1		D3589-11	FORWARD GUIDE PLATE
4	1	1	D3589-23	ARM GUIDE



D3589-043 FORWARD PLATE WELDMENT



D3589-045 AFT PLATE WELDMENT

RELEASED
2012-07-16

D3589-043/-045 NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT:
 - D3589-043 = 0.23 lbs
 - D3589-045 = 0.10 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) FORM D3589-1.1 TO FIT D3589-9 MATING EDGE

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.		SHEET 2 OF 8	
APPROVED		TITLE LATCH ASSEMBLY	SCALE
DE APPR.		NTS	
DATE	12.07.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM	QTY -047	QTY -049	P/N	DESCRIPTION
	X		D3589-047	FORWARD GUIDE
		X	D3589-049	AFT GUIDE
1	1		D3589-5	LATCH GUIDE
2	1		D3589-17	FORWARD GUIDE PLATE
3		1	D3589-19	AFT GUIDE PLATE
4		1	D3589-21	LATCH GUIDE

D3589-17
FORWARD GUIDE PLATE



D3589-5
LATCH GUIDE



D3589-047 FORWARD GUIDE

D3589-21
LATCH GUIDE

D3589-19
AFT GUIDE PLATE



D3589-049 AFT GUIDE


D3589-047/-049 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART OSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT:
 - D3589-047 = 0.08 lbs
 - D3589-049 = 0.05 lbs
- 8) WELDING: PER DART QSI 004


RELEASED
2012-07-16

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.		TITLE LATCH ASSEMBLY	SHEET 3 OF 8
APPROVED		SCALE	NTS
DE APPR.		COPYRIGHT © 2008 BY DART AEROSPACE LTD	
DATE	12.07.04	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1




D3589-1 ARM




D3589-3 ARM GUIDE



D3589-23 ARM GUIDE



D3589-5 LATCH GUIDE



D3589-21 LATCH GUIDE


D3589-1/-3/-5/-21/-23 NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS ROUND TUBING
 D3589-1: 0.375 O.D. X 0.065 WALL (REF. DART SPEC M304TR0.375W.065)
 D3589-3: 0.500 O.D. X 0.058 WALL (REF. DART SPEC M304TR0.500W.058)
 D3589-5/-21: 0.500 O.D. X 0.049 WALL (REF. DART SPEC M304TR0.500W.049)
 D3589-23: AISI 304/316 STAINLESS STEEL ROUND BAR PER ASTM A276 (REF. DART SPEC M304R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: - D3589-1 = 0.34 lbs
 - D3589-3 = 0.01 lbs
 - D3589-5 = 0.06 lbs
 - D3589-21 = 0.03 lbs
 - D3589-23 = 0.02 lbs


RELEASE
 2012-07-16

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.		SHEET 4 OF 8	
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED/REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



**D3589-7F AFT GUIDE PLATE
FLAT PATTERN**



D3589-7 AFT GUIDE PLATE
MAKE FROM D3589-7F




RELEASED
2012-07-16


D3589-7F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-6059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs


DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN		DRAWING NO.	REV. C
CHECKED		D3589	SHEET 5 OF 8
MFG. APPR.		TITLE	SCALE
APPROVED		LATCH ASSEMBLY	NTS
DE APPR.		COPYRIGHT © 2006 BY DART AEROSPACE LTD	
DATE	12.07.04	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3589-9 FORWARD GUIDE PLATE



**D3589-11F FORWARD GUIDE PLATE
FLAT PATTERN**




**D3589-11 FORWARD GUIDE PLATE
(MAKE FROM D3589-11F)**

RELEASED
2012-07-16


- D3589-9/-11/-11F NOTES:**
 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET,
 PER AMS 5513 OR AMS 5524,
 OR MIL-S-5059 (ANNEALED) 2B FINISH
 16 GAUGE (0.063 THICK),
 (REF. DART SPEC M304S16GA)
 2) FINISH: NONE
 3) TOLERANCES: PER DART QSI 018 UNLESS
 OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 6) IDENTIFICATION: N/A
 7) WEIGHT: 0.09 LBS EACH
 8) CONTROL SHAPE PER DT9021 TEMPLATE

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.		TITLE LATCH ASSEMBLY	SHEET 6 OF 8
APPROVED		SCALE	NTS
DE APPR.			
DATE	12.07.04		

COPYRIGHT © 2008 BY DART AEROSPACE LTD
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
 NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE
 WRITTEN PERMISSION FROM DART AEROSPACE LTD.



D3589-13 LUG




D3589-15 LINK

RELEASED
2012-07-16


D3589-13/-15 NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs EACH


DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.		SHEET 7 OF 8	
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR OPENED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3589-17 FORWARD GUIDE PLATE



D3589-19F AFT GUIDE PLATE FLAT PATTERN



D3589-19 AFT GUIDE PLATE
(MAKE FROM D3589-19F)

RELEASED
2012-07-16

D3589-17/-19/-19F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH
16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs EACH

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3589	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

